

or a pharmaceutically acceptable salt thereof.--

REMARKS

Prior to examination of the above-identified application, entry of the foregoing, and consideration of the above amendments are respectfully requested.


Claims 6-7 have been amended simply to delete multiple dependencies. New claims 9-10 have been added, in view of deletion of the multiple dependencies. It is respectfully submitted that no new matter has been added by the above amendments.

In the event that there are any questions relating to this Preliminary Amendment, or to the application in general, it would be appreciated if the Examiner would telephone the undersigned attorney at 508-339-3684 concerning such questions so that prosecution of this application may be expedited.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By:


Donna M. Meuth

Donna M. Meuth
Registration No. 36,607


**P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620**

Date: June 28, 2001

Attachment to Preliminary Amendment dated June 28, 2001

Marked-up Claims 6-7

6. (Amended) The preventive or therapeutic agent according to claim 1 [or 2], wherein said chymase inhibitor is a quinazoline derivative represented by the formula (1):



wherein, the ring A represents an aryl ring,

R¹ represents a hydroxy group, an amino group, or a lower alkylamino group having 1 to 4 carbons that may be substituted with a carboxylic group, a lower aralkylamino group having 7 to 10 carbons that may be substituted with a carboxylic group, an amino group acylated with a lower fatty acid having 1 to 4 carbons that may be substituted with a carboxylic group, an amino group acylated with an aromatic carboxylic acid that may be substituted with a carboxylic group, an amino group acylated with a heteroaromatic carboxylic acid that may be substituted with a carboxylic group, an amino group sulfonylated with a lower alkanesulfonic acid having 1 to 4 carbons that may be substituted with a carboxylic group, an amino group sulfonylated with an aromatic sulfonic acid that may be substituted with a carboxylic group, an amino group sulfonylated with a heteroaromatic sulfonic acid that may be substituted with a carboxylic group, a lower alkyl

Attachment to Preliminary Amendment dated June 28, 2001

Marked-up Claims 6-7

group having 1 to 4 carbons substituted with a carboxylic group, or a lower alkylene group having 2 to 4 carbons substituted with a carboxylic group;

R² and R³, which may be the same or different, represent a hydrogen, a lower alkyl group having 1 to 4 carbons that may be substituted, a halogen atom, a hydroxy group, a lower alkoxy group having 1 to 4 carbons, an amino group, a lower alkylamino group having 1 to 4 carbons that may be substituted, a lower aralkylamino group having 7 to 10 carbons that may be substituted, an amino group acylated with a lower fatty acid having 1 to 4 carbons that may be substituted with a carboxylic group, an amino group acylated with an aromatic carboxylic acid that may be substituted with a carboxylic group, an amino group acylated with a heteroaromatic carboxylic acid that may be substituted with a carboxylic group, an amino group sulfonylated with a lower alkanesulfonic acid having 1 to 4 carbons that may be substituted with a carboxylic group, an amino group sulfonylated with an aromatic sulfonic acid that may be substituted with a carboxylic group, an amino group sulfonylated with a heteroaromatic sulfonic acid that may be substituted with a carboxylic group, or a carboxylic group; or


when the ring A is a benzene ring, R¹ and R², together with the benzene ring to be substituted, may form a fused heterocyclic ring that may be substituted with a carboxylic acid, and a carbon atom in said fused heterocyclic ring may form a carbonyl group wherein R³ is as defined above; and

Attachment to Preliminary Amendment dated June 28, 2001

Marked-up Claims 6-7

X represents a hydrogen atom, a lower alkyl group having 1 to 4 carbons, a lower alkoxy group having 1 to 4 carbons, a halogen atom, a hydroxy group, an amino group, or a nitro group;
or a pharmaceutically acceptable salt thereof.

7. (Amended) The pharmaceutical composition according to claim 3 [or 4], wherein said chymase inhibitor is a quinazoline derivative represented by the formula (1):



wherein, the ring A represents an aryl ring,

R¹ represents a hydroxy group, an amino group, or a lower alkylamino group having 1 to 4 carbons that may be substituted with a carboxylic group, a lower aralkylamino group having 7 to 10 carbons that may be substituted with a carboxylic group, an amino group acylated with a lower fatty acid having 1 to 4 carbons that may be substituted with a carboxylic group, an amino group acylated with an aromatic carboxylic

R^2 and R^3 , which may be the same or different, represent a hydrogen, a lower alkyl group having 1 to 4 carbons that may be substituted, a halogen atom, a hydroxy group, a lower alkoxy group having 1 to 4 carbons, an amino group, a lower alkylamino group having 1 to 4 carbons that may be substituted, a lower aralkylamino group having 7 to 10 carbons that may be substituted, an amino group acylated with a lower fatty acid having 1 to 4 carbons that may be substituted with a carboxylic group, an amino group acylated with an aromatic carboxylic acid that may be substituted with a carboxylic group, an amino group acylated with a heteroaromatic carboxylic acid that may be substituted with a carboxylic group, an amino group sulfonylated with a lower alkanesulfonic acid having 1 to 4 carbons that may be substituted with a carboxylic group, an amino group sulfonylated with an aromatic sulfonic acid that may be substituted with a carboxylic group, an amino

Marked-up Claims 6-7

when the ring A is a benzene ring, R¹ and R², together with the benzene ring to be substituted, may form a fused heterocyclic ring that may be substituted with a carboxylic acid, and a carbon atom in said fused heterocyclic ring may form a carbonyl group wherein R³ is as defined above; and

X represents a hydrogen atom, a lower alkyl group having 1-4 carbons, a lower alkoxy group having 1 to 4 carbons, a halogen atom, a hydroxy group, an amino group, or a nitro group;
or a pharmaceutically acceptable salt thereof.